

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L1    | 3    | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and instrumentation near2 interface                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/05/10 16:02 |
| L2    | 3    | compil\$6 near2 (JIT or just near in near time) and instrument\$6 and (JVM or java near virtual near machine) and dynamic\$6 with transformation  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/05/10 16:01 |
| L3    | 75   | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 with compil\$6 and class near2 load\$3 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/05/10 16:01 |
| L4    | 56   | L3 and "717"/\$.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/05/10 16:01 |
| L5    | 6    | L4 and (instrumentation or instrumenting)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/05/10 16:01 |
| L6    | 62   | L3 and translat\$3 and interpret\$6   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/05/10 16:01 |
| L7    | 6    | L6 and (instrumentation or instrumenting)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2007/05/10 16:01 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| L8  | 64  | ((("5043873") or ("5253359") or ("5280614") or ("5307483") or ("5327556") or ("5481706") or ("5481747") or ("5502840") or ("5590326") or ("5790851") or ("5815727") or ("5826081") or ("5894555") or ("6105053") or ("6269390") or ("6289369") or ("6345240") or ("6378240") or ("6378066") or ("6470375") or ("6502122") or ("6604123") or ("6622155") or ("6662252") or ("6714960") or ("6728959") or ("6779182") or ("20010037408") or ("20010042139") or ("20020026342") or ("20020091748") or ("20040117531"))).PN. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/05/10 16:01 |
| L9  | 37  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and class near2 load\$3 and instantiation with class   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/05/10 16:02 |
| L10 | 136 | compil\$6 and determin\$6 same class same load\$6 and 717/141-158.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/05/10 16:03 |
| L11 | 105 | 10 and virtual near machine  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/05/10 16:03 |
| L12 | 21  | 11 and transform\$6 near3 (program or instruction or program or code)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2007/05/10 16:04 |
| S1  | 1   | compil\$6 near2 (JIT or just near in near time) with control\$3 same interface and instrument\$6 and (JVM or java near virtual near machine) and net near virtual near machine   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/09/09 13:38 |
| S2  | 1   | compil\$6 near2 (JIT or just near in near time) and instrument\$6 and (JVM or java near virtual near machine) and net near virtual near machine  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/09/09 13:40 |

## EAST Search History

|     |    |  |   |    |    |                  |
|-----|----|--|---|----|----|------------------|
| S3  | 0  | compil\$6 near2 (JIT or just near in near time) and instrument\$6 and (JVM or java near virtual near machine) and ".net"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 13:40 |
| S4  | 0  | compil\$6 near2 (JIT or just near in near time) and instrument\$6 and (JVM or java near virtual near machine) and (mixmode or mix near mode) near2 runtime                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 13:49 |
| S5  | 2  | compil\$6 near2 (JIT or just near in near time) and instrument\$6 and (JVM or java near virtual near machine) and dynamic\$6 near2 transformation                                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 13:50 |
| S6  | 3  | compil\$6 near2 (JIT or just near in near time) and instrument\$6 and (JVM or java near virtual near machine) and dynamic\$6 with transformation                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/10 16:01 |
| S7  | 3  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and instrumentation near2 interface  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/10 16:01 |
| S8  | 2  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 near2 compil\$6 same interface and load\$5 with class                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 13:52 |
| S9  | 2  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 with compil\$6 and class near2 load\$3 and transform\$3 with executable | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 13:55 |
| S10 | 71 | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 with compil\$6 and class near2 load\$3                                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/30 18:07 |
| S11 | 53 | S10 and "717"/\$.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 13:55 |

## EAST Search History

|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| S12 | 6  | S11 and (instrumentation or instrumenting)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/10 16:01 |
| S13 | 0  | S7 and translat\$3 and interpret\$6   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 13:56 |
| S14 | 61 | S10 and translat\$3 and interpret\$6  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 13:56 |
| S15 | 6  | S14 and (instrumentation or instrumenting)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/10 16:01 |
| S16 | 1  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 same compil\$6 same interface and (intermediate near representation or IR) and byte near code and interpret\$6 and translat\$6 and class near3 load\$6                                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 15:08 |
| S17 | 0  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 same compil\$6 and interface and (intermediate near representation or IR) and byte near (code or instruction) and instrument\$6 and interpret\$6 and translat\$6 and class near3 load\$6 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 15:09 |
| S18 | 0  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 same compil\$6 and interface and (intermediate near representation or IR) and byte near (code or instruction) and instrument\$6 and interpret\$6 and translat\$6 and class same load\$6  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 15:18 |

## EAST Search History

|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| S19 | 0  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 same interface and (intermediate near representation or IR) and byte near (code or instruction) and instrument\$6 and interpret\$6 and class same load\$6                              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 15:18 |
| S20 | 0  | compil\$6 near3 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 and compil\$6 and interface and (intermediate near representation or IR) and byte near (code or instruction) and dynamic\$6 with instrument\$6 and interpret\$6 and class same load\$5 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 15:21 |
| S21 | 5  | compil\$6 near3 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 and compil\$6 and interface and (intermediate near representation or IR) and byte near (code or instruction) and dynamic\$6 with instrument\$6 and interpret\$6                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/09 15:21 |
| S22 | 0  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and class near2 load\$3 same interface and interpret\$6 and transform\$3 and instrumentation and instantiation  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/11 18:59 |
| S23 | 0  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and class near2 load\$3 same interface and interpret\$6 and instrumentation and instan\$9   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/11 19:10 |
| S24 | 0  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and class near2 load\$3 and interface and interpret\$6 and instrumentation and instan\$9  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/11 19:36 |
| S25 | 38 | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and class near2 load\$3 same interface and instrument\$7 and instan\$9  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/30 14:35 |

## EAST Search History

|     |    |  |   |    |     |                  |
|-----|----|--|---|----|-----|------------------|
| S26 | 64 | ((("5043873") or ("5253359") or ("5280614") or ("5307483") or ("5327556") or ("5481706") or ("5481747") or ("5502840") or ("5590326") or ("5790851") or ("5815727") or ("5826081") or ("5894555") or ("6105053") or ("6269390") or ("6289369") or ("6345240") or ("6378240") or ("6378066") or ("6470375") or ("6502122") or ("6604123") or ("6622155") or ("6662252") or ("6714960") or ("6728959") or ("6779182") or ("20010037408") or ("20010042139") or ("20020026342") or ("20020091748") or ("20040117531"))).PN. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2007/05/10 16:01 |
| S27 | 0  | S26 and domain same (divid\$6 or split\$6 or group\$6 or section) and safe   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/09/13 13:29 |
| S28 | 3  | S26 and domain same (divid\$6 or split\$6 or group\$6 or section or part)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/09/13 13:29 |
| S29 | 7  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and class near2 load\$3 same interface and instrument\$7 and instan\$9 and transform\$6  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/09/30 14:36 |
| S30 | 16 | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 with compil\$6 and class near2 load\$3 and transform\$6   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/09/30 14:40 |
| S31 | 0  | S30 and vm near instrument\$5  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/09/30 14:40 |
| S32 | 1  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 with compil\$6 and class near2 load\$3 and (vm or virtual near2 machine) near instrument\$5   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/09/30 14:42 |

## EAST Search History

|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| S33 | 1  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 with compil\$6 and class near2 load\$3 and instantiation with class                                  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/30 15:22 |
| S34 | 33 | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and class near2 load\$3 and instantiation with class  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/30 18:04 |
| S35 | 1  | S34 and instantiation same run same (terminat\$6 or stop\$5 or end\$5)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/30 15:24 |
| S36 | 1  | S34 and instantiation same (run\$4 or execut\$6) same (terminat\$6 or stop\$5 or end\$5)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/30 15:23 |
| S37 | 3  | S34 and instantiation same (terminat\$6 or stop\$5 or end\$5)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/30 18:05 |
| S38 | 2  | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and class near2 load\$3 and instantiation with class and stack same activat\$8                                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/30 18:04 |
| S39 | 33 | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and class near2 load\$3 and instantiation with class  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2007/05/10 16:01 |
| S40 | 3  | S39 and instantiation same (terminat\$6 or stop\$5 or end\$5) and stack   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/30 18:05 |
| S41 | 41 | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 with compil\$6 and class near2 load\$3 and replac\$5 same (code or instruction or program) and stack | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2006/09/30 18:07 |

## EAST Search History

|     |   |  |   |    |     |                  |
|-----|---|--|---|----|-----|------------------|
| S42 | 8 | compil\$6 near2 (JIT or just near in near time) and (JVM or java near virtual near machine) and control\$6 with compil\$6 and class near2 load\$3 and replac\$5 same (code or instruction or program) same stack | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2006/09/30 19:08 |
| S43 | 2 | ("6971091").PN.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/09/30 19:08 |